

# Notice of Allowability

Application No.

10/562,560

Examiner

Roy M. Punnoose

Applicant(s)

DECITRE ET AL.

Art Unit

2886

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--

All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. **THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS.** This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.

1. ☒ This communication is responsive to amendment filed on 02/19/2007.
2. ☒ The allowed claim(s) is/are 1-3 and 5-8.
3. ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
  - a) ☒ All    b) ☐ Some\*    c) ☐ None    of the:
  1. ☒ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☐ Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).

\* Certified copies not received: \_\_\_\_\_.

Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application.  
**THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.**

4. ☐ A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.
5. ☐ CORRECTED DRAWINGS (as "replacement sheets") must be submitted.
  - (a) ☐ including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached
    - 1) ☐ hereto or 2) ☐ to Paper No./Mail Date \_\_\_\_\_.
  - (b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date \_\_\_\_\_.Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).
6. ☐ DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.

## Attachment(s)

1. ☐ Notice of References Cited (PTO-892)
2. ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
3. ☐ Information Disclosure Statements (PTO/SB/08),  
Paper No./Mail Date \_\_\_\_\_
4. ☐ Examiner's Comment Regarding Requirement for Deposit  
of Biological Material
5. ☐ Notice of Informal Patent Application
6. ☐ Interview Summary (PTO-413),  
Paper No./Mail Date \_\_\_\_\_
7. ☐ Examiner's Amendment/Comment
8. ☒ Examiner's Statement of Reasons for Allowance
9. ☐ Other \_\_\_\_\_

**DETAILED ACTION**

***Response to Amendment***

1. Applicant's amendment filed on 02/19/2007 is acknowledged and has been entered into the records. The applicant has amended claims 1 and 6, and cancelled claim 4 in response to the previous office action. The Examiner has accepted applicant's amendments. Claims 1-3 and 5-8 are currently pending in the application.

***Allowable Subject Matter***

2. Claims 1-3 and 5-8 are allowable.

3. Claims 1 and 6 would be allowable because the prior art of record, taken alone or in combination, fails to disclose or render obvious a magneto-optical imaging method/device comprising lock-in detecting intensity modulated polarized source light beam reflected from the surface located between the active material and the target material, and observing the angle of Faraday rotation in the reflected beam, with respect to the incident beam, which is created in the active material by an interfering magnetic field produced by the target material, wherein the Faraday rotation of the active material is substantially proportional to its magnetization when it is subjected to an interfering magnetic field, perpendicular to said face and varying in a minimum range extending between substantially -100 Oersted and substantially +100 Oersted, in combination with the rest of the limitations of the respective claims.

4. Claims 2-3, 5 and 7-8 are allowable because they are dependent on independent claims 1 or 6, or an intermediate claim, and they include all the allowable limitations of the parent claim(s).

Art Unit: 2886

5. Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


*Contact/Status Information*

6. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Roy M. Punnoose** whose telephone number is **571-272-2427**. The examiner can normally be reached on 9:00 AM - 5:30 PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, **Tarifur Chowdhury** can be reached on **571-272-2287**. The fax phone number for the organization where this application or proceeding is assigned is **571-273-8300**.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

May13, 2007

  
**Roy M. Punnoose**  
Patent Examiner  
Art Unit 2886